

DELHI PARKS AND GARDENS SOCIETY

(A Society Registered under the Societies-Registration Act of XXI, 1860)

(Registration No. S/62922/2008)

DEPARTMENT OF ENVIRONMENT

GOVT. OF NATIONAL CAPITAL TERRITORY OF DELHI

"C" Wing, 6th Level, Delhi Secretariat Building, I P Estate, New Delhi 110002

Tele-Fax: 011-23392736 E-mail ceodpgsenv.delhi@nic.in

F.No.- F1(01)/DPGS/WB/2012-13/ 1337-1363

Dated: 27/06/2016


Prior to field inspection, the Court Commissioner called a meeting in his Ch. No. 404, Delhi High Court of various agencies on 3-6-2016 in r/o Water Bodies. Visit of Distt. New Delhi was conducted on 10-06-2016. In this survey, Col. Devender Sehrawat, MLA (Bijwasan) also accompanied the Court Commissioners. Partly. On the basis of field inspection of water bodies the detailed report of inspection of water bodies is submitted as follows:-

DISTRICT - NEW DELHI


DATE OF VISIT: 10-06-2016

1.	Samalkha:-	
G. No. 978	Kh. No. 50 (26-4) - PWD A government Girls School running on the area of water body. After taking a round it was noticed that although a direction was issued last year that two rain water harvesting systems installed in the school be put into the working condition and report to that effect was also sought from PWD after doing the above needful. However, neither work was done nor any report was submitted. The two Rain water harvesting systems were not found in the working condition. The MLA of the area gave instructions on phone to the Executive Engineer, PWD, Mr. Meena to see that the work is done before the Monsoons starts. Report was also sought from him to be submitted on or before 20.06.2016 to the Court Commissioners.	  28° 31.901" N 77°05.132" E Alt. 216 m

u/s

	This is further to add that as per our last visit, we were shown/informed that sewage water flows into the school as the school is constructed 4-5 feet down/below the road. It is not out of place to mention that no one was present on behalf of Education Department, as well though we all were at site upto 9.45 A.M., despite notice to them. Delhi Jal Board was instructed to see that no sewage water/sludge flows into the school and steps to curb the same be taken immediately. Col. Devender Sehrawat, MLA of the area suggested MCD for small Stilt Chambers which was the latest technology and could cater sludge/sewage of 100 to 125 persons which was not costly and would also not require much space for treatment of sewage of the area. He indicated that the cost of such unit would be around 6 to 8 lakhs and would be much cheaper and would utilize very less space as compared to a setup of STP Plants. He also suggested that the said water could be reutilized/recycled for many purposes like Horticulture, Washing, Toilets etc. etc. and could also be used for recharging of underground water, if levels so permit. The Delhi Jal Board was requested to look into the matter as well as feasibility of Stilt Chambers and to do the needful within a maximum period of three weeks.	
2. G. No. 979	Samalkha:- Kh. No. 51 (10-7) - MCD MCD Girls school exists. The Park also exists in the school. However, boundary walls were found missing. The Revenue Authority and the MCD were directed to see to it that the boundary wall is constructed not later than 30.06.2016. Rain water harvesting system was also directed to be installed.	 28° 32.143' N 77° 05.236' E Alt. 210 m

Cup

	Col. Devender Sehrawat, MLA of the area suggested MCD for small Stilt Chambers which was the latest technology and could cater sludge/sewage of 100 to 125 persons which was not costly and would also not require much space to be used by Delhi Jal Board for treatment of sewage of the area. He indicated that the cost of such unit would be around 6 to 8 lakhs and would be much cheaper and would utilize very less space as compared to a setup of STP Plants. He also suggested that the said water could be reutilized/recycled for many purposes like Horticulture, Washing, Toilets etc. etc. and could also be used for recharging of underground water, if levels so permit. The Delhi Jal Board was requested to look into the matter as well as feasibility of Stilt Chambers and to do the needful within a maximum period of three weeks.	
3. G. No. 975	Samalkha:- Khasra No. 54 (7-18 It is well developed Water Body. Pir Baba Mazar and Temple exists on the water body land. RWA has laid down pipes so that road water of rains could fall directly into the Water Body.	 28° 31.829' N 77° 06.397' E Alt. 233 m
3. G. No. 968	Rangpuri:- Kh. No. 105 (6-9) - BDO Illegal and unauthorized parking was being carried out on the water body though the water body was constructed in concrete. Sewage was also seen flowing into the water body, SDM was directed to look into the matter and report back to the Court Commissioners.	

Signature

		28° 32.539' N 77° 07.174' E Alt. 222 m
4.	Rangpuri:- G. No. 969 Kh. No. 660 (12-12) - BDO Water Body exist. However, required cleaning. The I&FC officers assured that cleaning would be done within 2 weeks.	
5.	Rangpuri:- G. No. 971 Kh. No. 1800, 1801, 1819, 1820, 1821, 1822 (28-16) - BDO The Revenue Authorities indicated that the land has been handed over to PWD. The PWD officials was not present. The next survey meeting was fixed for 15.06.2016 and the officer from the DPGS were directed to issue a proper direction and notice for 15.06.2016.	
6.	Rangpuri:- G. No. 972, 973, 974 & 970 Kh. No. 1705, 1706, 1707 - DDA 1467, 1491 - BDO The Kanoongo of DDA was present. He indicated that he had just joined the department. He requested time to identify the land. He was granted time till 15.06.2016, the day of our next visit.	
7.	Mahipalpur:- G. No. 946 Kh. No. 524 (27-5) - DDA We were informed that demolition programme for encroachment was fixed but could not completed as police force was not made available. The DDA officers directed that fresh programme be fixed at the earliest. DDA should inform about the same and its outcome to the Court Commissioners at the earliest.	



8. G. No. 946, 948, 949	Mahipalpur:- Kh. No. 451 (1-2), 1085 (4-16), 1074 (4-16), 1127 (4-16), 1273 (4-16), 1274 (4-16), 1282 (4-16), 1283 (4-16) - DDA The Kanoongo of DDA was present. He indicated that he had just joined the department. He requested time to identify the land. He was granted time till 15.06.2016, the day of our next visit.	
9.	Nangal Dewat:- The concerned officer from DIAL/GMR was not present and the MLA had to go to Vidhan Sabha as such the survey meeting was postponed to 15.06.2016.	


(Dr. S.D. Singh)
 CEO-DPGS,
 Nodal Officer, Water Bodies